

intimus 130 SP2

HIGH VOLUME SHREDDER FOR LARGE OFFICES OR DEPARTMENTS



Up to 25 users

P-2 | Department shredder with sheet capacity of 22 sheets and bin volume of 34 gal



Shredding material:

- Paper with staples and paper clips
- CD / DVD / Blu-ray
- Plastic card
- Floppy disk



The intimus 130 SP2 is designed for discreet and effective document disposal within department settings. Opting for in-office shredding ensures prompt elimination of sensitive information, which enhances security and regulatory adherence. It effortlessly handles paper documents with staples, paper clips, credit cards, CDs and floppy disks with precise 0.14 in strip-cutting accuracy. Equipped with castors, it facilitates easy mobility within your workspace, optimizing efficiency. It streamlines workflow and features a 34 gal waste cardboard container. It is perfect for departments and efficiently caters to high-volume shredding needs due to its size and impressive cutting speed.

KEY FEATURES

- The 0.14 in strip-cuttings adhere to the P-2 security standard specified in DIN 66399 (ISO/IEC 21964).
- Efficiently handles 20-22 sheets of 80 g/m² paper, including paperclips and staples.
- Boasts a processing speed of up to 622 sheets per minute, ensuring swift and effective document handling.
- The 15.94 in wide feed opening easily accommodates larger documents.
- Capable of securely shredding credit cards, CDs, and floppy disks, as well as paper documents with staples and paper clips.
- Maintains a peaceful work environment with its low operating noise level of 60 dB(A).
- Enhanced mobility facilitated by castors for added convenience, along with a sturdy wooden cabinet base.
- Equipped with a spacious and easily removable 34 gal cardboard container.
- Features i-control, an intuitive control panel designed to streamline shredding tasks.
- Incorporates a traffic light system (DLS) to prevent overloading.
- Enables effortless document shredding with automatic start/stop function, auto reverse, anti-paper jam technology, bin full sensor and overheat protection.
- Automatic shutdown after 15 minutes of idle time, promoting eco-friendliness and conserving energy.

SPECIFICATIONS

Area of application	Department
Feed type	Manual
Cutting size paper (in)	0.1
Cutting type paper	Strip cut
Security level ISO/IEC 21964 (DIN 66399)	P-2 / O-2 ⁵ / T-2 ² / E-2 ³
Shredding material	Paper with staples and paper clips, CD / DVD / Blu-ray, Plastic card, Floppy disk
Waste disposal solution	Removable cardboard container
Intake width (in)	15.9
Possible paper formats (DIN)	A3
Sheet capacity (80g/m ²)	20 - 22
Throughput	up to 622 sheets/min
Cutting speed (80g/m ²) in/s	5.5
Bin volume (gal)	34.3
Continuous Running	yes
Noise level (idle operation) dB(A)	60
Power supply (V / Hz)	230 / 50
Other voltages available	yes
Product dimensions W x D x H (in)	26 x 16.9 x 40.2
Product weight (lbs)	132.3
Control operation	i-control
Visual status indication for ...	Ready, Material jam, Door open, Motor overload, Bin full
Automatic start/stop	yes
Auto reverse	yes
Automatic switch-off	yes
Automatic switch-off after x min	15
Paper jam protection	yes
Overheat protection	yes
Overload protection	yes
Bin full sensor	yes
Castors	yes
Material machine housing	Wood
Made in Germany	yes
Certificates / Listings	CE, UKCA

² Only ID cards.

³ Only plastic cards with electronic chip.

⁵ No splash protection - CD and plastic card destruction only with safety glasses.

